




SIP Butchery Shop Watertown SD

SIP Wall thickness: 5 ½" EPA Foam both exterior walls and interior walls.

HVAC: electric fireplace/space heater in the front reception area.





Enercept SIPs

Junger's Farms Butchery Watertown, SD



SIP Farm Shed Faribault MN

SIP Wall thickness: 8 9/16 panel thickness, 7 3/8 core material


HVAC:

In floor radiant heat and ductless mini split for cooling

Floor:

2" high density foam board under the slab and vertically around the foundation.





Energy Panel Structures

Buzz Cummins Watertown, SD



SIP Kitty Community Rescue Tyler MN

SIP wall thickness: 5 ½ " EPS Foam

SIP roof thickness: 11 7/8" EPS Foam


SIP floor thickness: 11 7/8" EPS Foam

HVAC: A single zone 18,000 BTU ductless inverter.

Vector Invision windows

R-value: 3.70 U value: 0.27





Enercept SIPs
Windy Kitty Comm Rescue
Tyler, MN



SIP Farm Multi Shop Cottonwood MN


SIP wall thickness: 8 ¼" SIP roof thickness: 8 ¼"

HVAC:

in-floor heating and minisplit systems

LED lighting throughout





Extreme Panel Technologies

Neuman Farm Shop Cottonwood, MN

